
Rittal – The System.

Faster – better – everywhere.



DK 7826.588

Roof plate

State: 06/07/2022 (Source: rittal.com/com-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

DK 7826.588 - Roof plate for cable entry on all sides, for DK-TS

The roof plate has sliding plates for cable entry on all four sides, and therefore allows individual selection of cable routing tailored to the specific requirements.

Features

Model No.	DK 7826.588
Product description	The roof plate has sliding plates for cable entry on all four sides, enabling a bespoke choice of cable routing to suit the specific requirements. After cable entry, the sliding plate is closed again as far as possible, and the rubber cable clamp strips supplied loose then seal the cable entry area.
Material	Sheet steel
Colour	RAL 7035
Supply includes	Assembly parts
To fit	Enclosure type: DK-TS Width: 800 mm Depth: 800 mm
Packs of	1 pc(s).
Weight/pack	9.55 kg
Copper weight (kg per piece)	0
Customs tariff number	94039910
EAN	4028177302679
ETIM 7.0	EC000744
ECLASS 8.0	27182405

© Rittal 2022

Tender text

DK-TS roof plate, W x D = 800 x 800 mm, cable entry on all sides

A roof plate with four cable entry sliding plates and eight rubber cable clamp strips including assembly parts.

Material: Sheet steel, spray finished in RAL 7035
Dimensions (W x D): 800 mm x 800 mm

© Rittal 2022