



stand-alone assembly support for  
3RU21/3RB30/3RB31/3RR2 Size S2 Stand-alone  
installation Main circuit: Screw

### General technical data:

Product brand name		SIRIUS
Product designation		individual mount
Size of overload relay		S2
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +70

### Installation/ mounting/ dimensions:

Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail
Width	mm	55
Height	mm	105
Depth	mm	110

### Connections/ Terminals:

Type of electrical connection		screw-type terminals
• for main current circuit		
•		

— Type of connectable conductor cross-sections for main contacts finely stranded

— with core end processing

• Type of connectable conductor cross-sections at AWG conductors

— for main contacts

1x (1 ... 35 mm<sup>2</sup>)

1x (18 ... 1)

## Certificates/ approvals:

### General Product Approval



CCC



CSA



UL



EG-Konf.

[Miscellaneous](#)

### Test Certificates

[Type Test Certificates/Test Report](#)

[Special Test Certificate](#)



ABS



BUREAU  
VERITAS



LRS



PRS

### Shipping Approval

### Shipping Approval

### other

[Confirmation](#)



RINA



RMRS

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**




<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RU2936-3AA01>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RU2936-3AA01>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RU2936-3AA01&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RU2936-3AA01&lang=en)



1/L1

3/L2

5/L3



last modified:

09/24/2019