




DELTA fläche IP44, AP Dark gray/light gray Two-circuit switch, 10A  
250V 66x 75 mm



Model	
Product brand name	DELTA
Type of installation switch / rotary switch	No
Type of light source	Lighting with glow lamp
Type of composition	basic element with complete enclosure
Design of the operating mechanism	rocker/button
General technical data	
Type of switch	series switch
Mounting type	fixing with screw
Surface processing	others
Material	others
Supply voltage	
Operating voltage / Rated value	250 V
Protection class	
Protection class IP	IP44
Switching capacity	
Switching capacity current	10 A

Main circuit		
Operating current / rated value	10 A	
Appearance		
Appearance	shiny	
Color	grey	
Product details		
Product component		
<ul style="list-style-type: none"> <li>• Labeling field</li> <li>• Signaling contact</li> <li>• Pushbutton switch</li> </ul>	<ul style="list-style-type: none"> <li>No</li> <li>No</li> <li>No</li> </ul>	
Product feature / halogen-free	Yes	
Number		
Number of actuating rockers	2	
Connections		
Type of electrical connection	Plug-in terminal	
Mechanical Design		
Height	82 mm	
Depth	47 mm	
Mounting type	surface mounted	
Material / of the enclosure	plastic	
Certificates		
Reference code		
<ul style="list-style-type: none"> <li>• acc. to DIN EN 61346-2</li> <li>• acc. to DIN EN 81346-2</li> </ul>	<ul style="list-style-type: none"> <li>S</li> <li>SF</li> </ul>	
<b>General Product Approval</b>	<b>Declaration of Con- formity</b>	<b>Test Certificates</b>
		
ÖVE	VDE	EG-Konf.
		<a href="#">Type Test Certificates/Test Report</a>
Further information		
<b>Information- and Downloadcenter (Catalogs, Brochures,...)</b>		
<a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>		
<b>Industry Mall (Online ordering system)</b>		
<a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA4705">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA4705</a>		
<b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b>		
<a href="https://support.industry.siemens.com/cs/ww/en/ps/5TA4705">https://support.industry.siemens.com/cs/ww/en/ps/5TA4705</a>		
<b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b>		
<a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA4705">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA4705</a>		
<b>CAX-Online-Generator</b>		
<a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>		

**Tender specifications**

<http://www.siemens.com/specifications>

