SIEMENS

Data sheet 5TT5042-2

INSTA contactor with 2 NO contacts and 2 NC Contact for 230 V AC, 400V 40A Control AC/24 V DC

Model	
product brand name	SENTRON
product designation	Insta contactor
design of the product	2 NO contacts 2 NC contacts
type of voltage / of the operating voltage	AC
type of voltage / of the operating voltage / for actuation	AC/DC
Supply voltage	
operating voltage / rated value	
• minimum	400 V
• maximum	400 V
Protection class	
protection class IP	IP20
Dissipation	
power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	4 W
Current	
operational current / at AC / rated value	40 A
Main circuit	
operational current / rated value	40 A
Control current	
control supply voltage	
• rated value	24 V
• rated value / maximum	24 V
• at DC / rated value	24 V
Product details	
product component / slide for manual operation	No
number of NC contacts	2
number of NO contacts	2
product extension / installable / supplementary devices	Yes
Mechanical Design	
height	90 mm
width	53.5 mm
depth	71 mm
installation depth	64 mm
number of modular width units	3
net weight	150 g

General Product Approval	Declaration of	Test Certificates

Subject to change without notice
© Copyright Siemens

			Conformity		
CCC	UL	Miscellaneous	EAC	CE EG-Konf.	Special Test Certific-ate

other	
Miscellaneous	Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT5042-2
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5TT5042-2
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5042-2
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications



Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens