

DELTA i-system aluminum-metallic SCHUKO socket outlet 10/16 A
250 V With screwless Connection terminals with spring flap 55x 55
mm and increased touch protection



Figure similar

Model	
Cover version	central plate
Design of the special power supply unit	without special current supply
Design of the socket / according to VDE 0620 for severe conditions	No
Design of the phase tap	No
General technical data	
Marking / of socket outlet	without imprint
Mounting type	fixing with claw and screw
Surface processing	others
Material	thermoplastic
Supply voltage	
Operating voltage / Rated value	250 V
Protection class	
Protection class IP	IP20
Main circuit	

Operating current / Rated value	16 A
---------------------------------	------

Appearance

Color	aluminum
-------	----------

Product details

Product component	
<ul style="list-style-type: none"> • Ejection equipment • Labeling field • Increased touch protection • Fault current protection • miniature fuse • Integrated / functional lighting • Integrated / Light source • Integrated / orientation lighting • Hinged lid 	<ul style="list-style-type: none"> No No Yes No No No No No Yes
Product feature	
<ul style="list-style-type: none"> • lockable • halogen-free • transparent 	<ul style="list-style-type: none"> No Yes No

Product function

Product function	
<ul style="list-style-type: none"> • Socket selectable • Overvoltage protection 	<ul style="list-style-type: none"> No No

Number

Number of units	1
Number of sockets / switchable	0

Connections

Arrangement of contacts / diagonal	No
Type of electrical connection	plug terminal

Mechanical Design

Height	70 mm
Width	70 mm
Depth	45 mm
Mounting type	flush mounted
Material / of the enclosure	plastic

Certificates



ÖVE



VDE



EG-Konf.

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB1930>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5UB1930>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB1930**CAX-Online-Generator**<http://www.siemens.com/cax>**Tender specifications**<http://www.siemens.com/specifications>