

DELTA i-system aluminum-metallic SCHUKO socket outlet 10/16 A  
250 V With screwless Connection terminals with increased touch  
protection cover plate 55 x 55 mm



Model	
Cover version	central plate
Design of the special power supply unit	without special current supply
Design of the socket / according to VDE 0620 for severe conditions	No
Design of the phase tap	No
General technical data	
Marking / of socket outlet	without imprint
Mounting type	fixing with claw and screw
Surface processing	others
Material	thermoplastic
Supply voltage	
Operating voltage / Rated value	250 V
Protection class	
Protection class IP	IP20
Main circuit	
Operating current / Rated value	16 A

Appearance	
Color	aluminum
Product details	
Product component	
• Ejection equipment	No
• Labeling field	No
• Increased touch protection	Yes
• Fault current protection	No
• miniature fuse	No
• Integrated / functional lighting	No
• Integrated / Light source	No
• Integrated / orientation lighting	No
• Hinged lid	No
Product feature	
• lockable	No
• halogen-free	Yes
• transparent	No
Product function	
Product function	
• Socket selectable	No
• Overvoltage protection	No
Number	
Number of units	1
Number of sockets / switchable	0
Connections	
Arrangement of contacts / diagonal	No
Type of electrical connection	plug terminal
Mechanical Design	
Height	70 mm
Width	70 mm
Depth	45 mm
Mounting type	flush mounted
Material / of the enclosure	plastic
Certificates	

General Product Approval	Declaration of Conformity	Test Certificates	
--------------------------	---------------------------	-------------------	--



ÖVE



VDE



EG-Konf.

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB1934>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5UB1934>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5UB1934](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB1934)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

