

DELTA miro SCHUKO double socket outlet 10/16A 250V
with/without screw-type terminals with increased touch protection
carbon metallic



Model	
Cover version	central plate
Design of the special power supply unit	without special current supply
Design of the socket / according to VDE 0620 for severe conditions	No
Design of the phase tap	Without
General technical data	
Marking / of socket outlet	without imprint
Mounting type	Claw/screw fixing
Surface processing	others
Material	thermoplastic
Supply voltage	
Operating voltage / Rated value	250 V
Protection class	
Protection class IP	IP20
Main circuit	
Operating current	

• Rated value

16 A

Appearance

Color anthracite

Product details

Product component

- Ejection equipment No
- Labeling field No
- Increased touch protection Yes
- Fault current protection No
- miniature fuse No
- Integrated / functional lighting No
- Integrated / Light source No
- Integrated / orientation lighting No
- Hinged lid No

Product feature

- lockable No
- halogen-free Yes
- transparent No

Product function

Product function

- Socket selectable No
- Overvoltage protection No

Number

Number of units 1

Number of sockets / switchable 0

Connections

Arrangement of contacts / diagonal No

Type of electrical connection plug terminal

Mechanical Design

Height 90 mm

Width 70 mm

Depth 43.25 mm

Mounting type flush mounted

Material / of the enclosure plastic

Certificates



EG-Konf.

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB2212-5>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5UB2212-5>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB2212-5

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>